

Mark Scheme (Results)

January 2023

Pearson Edexcel International Advanced Subsidiary Level In Biology (WBI11) Paper 01 Molecules, Diet, Transport and Health

| Question | Answer | Additional guidance | Mark |
|----------------|--|--|------|
| number 1(a) | A diagram that includes the following: | | |
| | 2 hydrogens joined to an oxygen (by covalent bonds) (1) the charge distribution with a delta sign or some indication it is a small charge (1) | e.g. lines, overlapping circles, shared electrons, touching $\begin{array}{c} \bullet \\ \bullet $ | |
| | | chemical reaction | (2) |

| Question | Answer | | | | | Mark |
|-----------------|---|---|-------------------------|-------------------------|--|------|
| number | | | | | | |
| 1(b) | | | | | | |
| | | | Carbohydrates | | | |
| | Statement | both monosaccharides and polysaccharides | monosaccharides only | polysaccharides only | neither monosaccharides nor polysaccharides | |
| | Have the general formula $C_nH_{2n}O_n$ | | | | | |
| | Have glycosidic bonds | | | • | | |
| | Have little effect on water potential | | | • | | (3) |
| Question number | Answer | | | Additional guida | nce | Mark |
| 2(a) | A description that includes thre | ee of the following p | oints: | | | |
| | • fibrous (protein) (1) | | | | | |
| | composed of {three (pol stranded helix / triple | - | helix / three- | | | |
| | held by hydrogen bond | s between the chain | s (1) | | | |
| | • credit details of the cha | ins (1) | | | amino acid is glycine ences of amino acids of {glycine / | |

| | proline / hydroxyproline} | |
|--|---------------------------|--|
|--|---------------------------|--|

| Question | Answer | Additional guidance | Mark |
|----------|--|--|------|
| number | | | |
| 2(b)(i) | • tangent drawn correctly at 30 mins (1) | ACCEPT straight line outside of curve at 30 | |
| | | mins | |
| | • rate given (1) | ACCEPT in the range of 2 to 3.158 up to 3 dps | |
| | | | |
| | | Bald answer within the range = 2 marks | (2) |
| | | Bald answer with too many dps = 1 mark | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|--|------|
| 2(b)(ii) | An explanation that includes three of the following points: • <u>active site</u> (of protease) {binds to / fits} the {elastin / substrate} (1) | ACCEPT forms an enzyme-substrate complex | |
| | activation energy lowered (by the protease) (1) breaking the <u>peptide</u> bonds (1) | DO NOT ACCEPT other named bonds dipeptide / polypeptide bonds | (3) |
| | • by hydrolysis (1) | | (3) |

| Question | Answer | Additional guidance | Mark |
|----------|---|--|------|
| number | | | |
| 3(a) | An explanation that includes three of the following points: | | |
| | because people with cystic fibrosis produce {thick / sticky} mucus (1) | | |
| | which reduces the air {into / out of} the lungs (1) | ACCEPT {blocks / narrows] the airways / builds up in the lungs | |
| | • so FEV ₁ will improve if the treatment is working (1) | ACCEPT converse | |
| | a mean is used to increase the <u>validity</u> of the {data / results} (1) | | |
| | • a mean as different people have different FEV ₁ (1) | | (3) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|--|------|
| 3(b) | An explanation that includes two of the following points: | | |
| | because the investigation does not show the results for the individual drugs (1) | ACCEPT the drugs on their own were not tested only the results for the combination are shown | |
| | so, no comparison can be made (between the effect of the combination drug and the individual drugs) (1) | | (2) |

| • no indication of the nature of the control (1) | | |
|--|---|--|
| | j | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|--|------|
| 3(c) | An answer that includes two of the following points: because cystic fibrosis is caused by a number of different mutations (1) and, therefore, affect the CFTR protein in different ways (1) and different organs will be affected (1) OR | DO NOT ACCEPT treat different mutations | |
| | different drugs may treat different symptoms (1) | | (2) |

| Question | Answer | Additional guidance | Mark |
|----------|---|---------------------|------|
| number | | | |
| 4(a)(i) | The correct answer is D | | |
| | | | |
| | A is incorrect because the vena cava carries blood to the heart, has | | |
| | valves along its length and has an endothelial lining | | |
| | B is incorrect because the vena cava carries blood to the heart, has | | |
| | valves along its length and has an endothelial lining | | |
| | C A is incorrect because the vena cava carries blood to the heart, | | (1) |
| | has valves along its length and has an endothelial lining | | |

| Question | Answer | Additional guidance | Mark |
|----------|--|---------------------|------|
| number | | | |
| 4(a)(ii) | The correct answer is C | | |
| | A is incorrect because the direction of flow of blood away from the heart classifies a blood vessel as an artery B is incorrect because the direction of flow of blood away from the heart classifies a blood vessel as an artery | | |
| | D is incorrect because arteries carry blood away from the heart not towards it. | | (1) |

| Question | Answer | Additional guidance | Mark |
|-----------|---|---------------------|------|
| number | | | |
| 4(a)(iii) | The correct answer is C | | |
| | A is incorrect because the coronary artery branches from the aorta and P is the vena cava B is incorrect because the coronary artery branches from the aorta and Q is the pulmonary artery D is incorrect because the coronary artery branches from the aorta | | (1) |
| | and S is the pulmonary vein | | |

| Question | Answer | Additional guidance | Mark |
|----------|---|---------------------|------|
| number | | | |
| 4(a)(iv) | The correct answer is A | | |
| | B is incorrect because the valve T is the bicuspid valve and is open during both atrial systole and diastole C is incorrect because the valve T is the bicuspid valve and is open during both atrial systole and diastole | | |
| | D is incorrect because the valve T is the bicuspid valve and is open during both atrial systole and diastole | | (1) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---------------------------------|---------------------|------|
| 4(b)(i) | • 32 (beats min ⁻¹) | | (1) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--------------------------------|---------------------|------|
| 4(b)(ii) | • 0.5 / 0.54 / 0.541 (seconds) | | (1) |

| Question number | Answer | Additional guidance | Mark |
|--------------------|---|---|------|
| 4(b)(iii) | An answer that includes three of the following points: | | |
| | atropine increases heart rate and propranolol decreases heart rate (1) | | |
| | the size in the second of the | | |
| | atropine increases heart rate whether given first or second (1) | | |
| | OR | | |
| | propranolol decrease heart rate whether given first or second (1) | ACCEPT propranolol decreases heart rate more when added after atropine | |
| | • either regimen results in {same / similar} (overall) heart rate (1) | ACCEPT order of drugs makes {little / no difference} overall both groups ended up the same | |
| | credit suitable comment about error bars (1) | e.g. these results are significant as error bars do not overlap (except in last two days) error bars are close | |
| | | together so drugs are having similar effects | |
| | | error bars for atropine (in first part) are wider so more uncertainty | (3) |

| Question | Answer | Additional guidance | Mark |
|----------|--|---------------------|------|
| number | | | |
| 5(a)(i) | The correct answer is C | | |
| | A is incorrect because high cholesterol would increase the risk | | |
| | B is incorrect because high cholesterol would increase the risk | | (4) |
| | D is incorrect because high antioxidants help reduce the risk | | (1) |
| | | | |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|--|------|
| 5(a)(ii) | An answer that includes two of the following points: • salt • fibre • energy (content) • saturated fats | NB two correct answers needed for 1 mark | |
| | • alcohol | | (1) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|------------------------|------|
| 5(b)(i) | investigation may not be valid / lifestyle can affect the risk (of CVD) (1) | ACCEPT named lifestyle | (1) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|--|------|
| 5(b)(ii) | An answer that includes two of the following points: | | |
| | they did not want to admit to how much energy they consumed (1) | ACCEPT embarrassed about how much they consumed they knew they consumed too {little / much} energy | |
| | they had not kept a record of the food that they had eaten (1) | ACCEPT they did not know how much food they had eaten | |
| | they did not know the energy content of the different foods that they were eating | ACCEPT information not available nutritional content | |
| | OR | | |
| | they did not know {how to do it / that they could do it} (1) | | |
| | | ACCEPT they guessed, if neither mp 2 nor 3 awarded | (2) |

| Question | Answer | Additional guidance | Mark |
|-----------|--|---------------------|------|
| number | | | |
| 5(b)(iii) | An explanation that includes two of the following points: | | |
| | because the investigation was looking at the effect of this diet on the of CVD (1) | | |
| | and these women were already (as they were developing the disease) (1) | ACCEPT more likely | |
| | therefore, the {investigation / data / conclusion} would not be valid (1) | | (2) |

| Question | Answer | Additional guidance | Mark |
|----------|--------------------------------------|---------------------|------|
| number | | | |
| 5(b)(iv) | • 24 / 23.8 / 23.78 / 23.780 (%) (1) | | (1) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|-----------------------------------|------|
| 5(c) | An explanation that includes three of the following points: | | |
| | • because this results in less cholesterol (in diet / in blood) (1) | ACCEPT less LDL / lower LDL : HDL | |
| | • therefore {no / less} {plaque / atheroma / blood clot} (1) | | |
| | • to {block / narrow} the coronary artery (1) | | |
| | therefore, blood will be able to continue flowing to the {heart / cardiac} {cells / tissue / muscle} (1) | | |
| | | | (3) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|---------------------|------|
| 6(a)(i) | The correct answer is B A is incorrect because the head is a phosphate and the tails are fatty acids C is incorrect because the head is a phosphate and the tails are fatty acids D is incorrect because the heads are hydrophilic and the tails are hydrophobic | | (1) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|---|------|
| 6(a)(ii) | An answer that includes four of the following points: | DO NOT PIECE TOGETHER FROM | |
| | Similarities: | TWO DESCRIPTIONS | |
| | • both have proteins (1) | | |
| | both have {phospholipid / phospholipid bilayer} (1) | | |
| | Differences: | | |
| | FMM has proteins {embedded / intrinsic}, but DDM has proteins {outside / in a layer/ extrinsic} (1) | ACCEPT description of embedded proteins e.g. channel proteins DDM proteins are not embedded | |
| | • FMM has cholesterol but DDM does not (1) | embedded | |
| | • FMM has {glycoproteins / glycolipids} but DDM does not (1) | | (4) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|--|------|
| 6(b)(i) | An answer that includes two of the following points: | | |
| | there could be (uncontrolled) movement of {substances / named substances} (into / out of cell) (1) | ACCEPT cytoplasm could leak out molecules will not be able to pass through {active transport / facilitated diffusion} could not take place bacteria / organelles | |
| | • cell cannot maintain concentration gradients of substances (1) | ACCEPT {solute / water / osmotic} potential | |
| | • credit consequence of this (1) | e.g. cannot maintain ATP levels, cell could {shrivel up / burst}, no oxygen for (aerobic) respiration | |
| | loss of cell {recognition / adhesion} / loss of membrane- embedded molecules (1) | | |
| | | | (2) |

| Question number | Answer | Additional guidance | Mark |
|------------------|---|---|------|
| 6(b)(ii) | An explanation that includes the following points: because the phospholipids (and proteins) {can move / are fluid} (within the membrane) (1) therefore {phospholipids / fatty acids} can interact (hydrophobically) (1) | ACCEPT bond Van der Waals forces / London forces / hydrophobic interactions vesicles fusing with membrane (by exocytosis / endocytosis) | (2) |

| Question | Answer | Additional guidance | Mark |
|-------------------|---|--|------|
| number | | | |
| 6(b)(iii) | An answer that includes two of the following points: | | |
| | more {membrane / phospholipid / protein / glycoprotein / glycolipid / cholesterol} needs to be made (1) | ACCEPT {channel / carrier} proteins | |
| | membrane needs restructuring / proteins added to membrane (1) | ACCEPT {cholesterol / glycolipids / glycoproteins} need to move into place | |
| | increase rate of {respiration / ATP synthesis / release of energy} (1) | | (2) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|---------------------------------|------|
| 7(a) | A description that includes the following points: | | |
| | one glycerol and three fatty acids (1) | | |
| | • (joined together by) ester {bonds / links / groups} (1) | ACCEPT joined by esterification | |
| | | | (2) |

| Question | Answer | Additional guidance | Mark |
|----------|--|---|------|
| number | An explanation that includes three of the following points: | | |
| 7(b) | An explanation that includes three of the following points. | | |
| | | | |
| | because large lungs would have a large volume of air {in the alveoli / taken in} (1) | ACCEPT more oxygen to enter | |
| | because there would be {more alveoli for gas exchange / large surface area for more gas exchange / larger surface area for gas exchange} (1) | ACCEPT diffusion of {gases / oxygen / carbon dioxide} | |
| | because large heart could pump more blood (1) | ACCEPT pump at higher pressure more warm blood | |
| | therefore supplying cells with sufficient oxygen (1) | ACCEPT (more warm blood) to maintain body temperature | (3) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---------------------------|--|------|
| 7(c)(i) | • 4.3 × 10 ⁻¹¹ | ACCEPT 4.30 × 10 ⁻¹¹ | |
| | | | (1) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|-----------------------------------|---|------|
| 7(c)(ii) | • volume of sphere calculated (1) | 2048 2 144.66058450 | |
| | • 1 : 3 / 1 : 2.7 / 1 : 2.67 (1) | ACCEPT 1:3 / 1:2.8 / 1:2.79 ecf 1:21 / 1:21.3 / 1:21.33 (if 16 used) 1:22 / 1:22.3 / 1:22.34 (if 16 used) | |
| | | Bald answer of 1:3/1:2.7/1:2.8/1:2.67/1:2.79 = 2 marks 1:21/1:21.3/1:21.33/1:22/ 1:22.3/1:22.34/2048/2144.66 = 1 mark | (2) |

| Question number | Answer | Mark |
|-----------------|---|------|
| *7(c)(iii) | Indicative content: | |
| | | |
| | High concentration of red blood cells: | |
| | therefore, they carry high levels of oxygen | |
| | to the tissues for (aerobic) respiration | |
| | so can meet the oxygen demands of the yaks | |
| | Small red blood cells: | |
| | therefore, the surface area to volume ratio is high | |
| | so oxygen can diffuse into the cells faster | |
| | although each red blood cell probably carries less oxygen | |
| | but this will be compensated by the large number of cells | |
| | smaller red blood cells pack closer together than larger ones / more cells in small volume of blood | |
| | High concentration of haemoglobin: | |
| | therefore, high levels of oxygen can be carried | |
| | as each red blood cell can carry more oxygen | |
| | as each haemoglobin molecule can bind to 4 oxygen molecules | |
| | Fetal haemoglobin: | |
| | which has a higher affinity for oxygen | |
| | therefore, the haemoglobin can bind the oxygen even in low partial pressures | |
| | and therefore carry more oxygen / have a higher percentage saturation of haemoglobin with oxygen | |
| | | (6) |
| | | |

| | | | Additional guidance |
|---------|-----|---|---|
| Level 0 | 0 | No awardable content | |
| Level 1 | 1-2 | Demonstrates isolated elements of biological knowledge and understanding to the given context with generalised comments made. Vague statements related to consequences are made with limited linkage to a range of scientific ideas, processes, techniques and procedures. The discussion will contain basic information with some attempt made to link knowledge and understanding to the given context. | Simple links made between characteristics of blood and altitude 1 mark = one comment about one characteristic 2 marks = one comment made about two characteristics |
| Level 2 | 3-4 | Demonstrates adequate knowledge and understanding by selecting and applying some relevant biological facts / concepts. Consequences are discussed which are occasionally supported through linkage to a range of scientific ideas, processes, techniques and procedures. The discussion shows some linkages and lines of scientific reasoning with some structure. | Extended links made characteristics of blood and altitude 3 marks = one comment made about three characteristics 4 marks = extended comments about one characteristic + a comment about one other characteristic |
| Level 3 | 5-6 | Demonstrates comprehensive knowledge and understanding by selecting and applying relevant biological facts / concepts. Consequences are discussed which supported throughout by sustained linkage to a range of scientific ideas, processes, techniques and procedures. The discussion shows a well-developed and sustained line of scientific reasoning which is clear and logically structured. | Clear discussions on all aspects of blood and altitude 5 marks = extended comments about two characteristics + a comment on the other two characteristic 6 marks = extended comments about three aspects + a comment on the other characteristic |

| Question number | Answer | Additional guidance | Mark |
|--------------------|--|---|------|
| 8(a) | An explanation that includes the following points: because the {phenotype / blood group} of individual 3 is {different / combination} from that of individual 1 and 2 (1) | ACCEPT the phenotype of the heterozygote is different from the phenotype of either homozygote MM gives you blood group M + NN gives you blood group N but MN gives you a different blood group offspring have both the blood types (in their phenotype) | |
| | because neither of the alleles are dominant / both alleles are expressed (1) | ACCEPT both alleles are equal / equally dominant | (2) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|--|--|------|
| 8(b) | An answer that includes the following points: | | |
| | genotypes of individuals 3 and 4 shown / alleles in gametes of individuals 3 and 4 shown (1) | genotypes : MN / MN gametes : M or N / M or N | |
| | possible genotypes of children shown (1) | MM and NN and 2 × MN | |
| | corresponding phenotypes given (1) | MM = blood group M and NN = blood group N and MN = blood group MN DO NOT ACCEPT blood group MM / NN | |
| | • 1 type M: 1 type N: 2 type MN (1) | ACCEPT in any order provided it is clear which phenotype each number relates to | |
| | | | (4) |

| Question number | Answer | Additional guidance | Mark |
|-----------------|---|--|------|
| 8(c)(i) | An explanation that includes three of the following points: | | |
| | individual 3 will have both (M and N) proteins (on the surface the of the red blood cells) (1) | | |
| | because individual 3 will {be heterozygous / have one allele for M and one allele for N / have the genotype MN} (1) | ACCEPT one gene for M and one gene for N | |
| | (both) genes will be transcribed / mRNA produced for (both) genes (1) | ACCEPT {alleles / DNA} will be transcribed | |
| | • and translated (1) | | (3) |

| Question number | Answer | Mark | |
|--------------------|--|------|--|
| *8(c)(ii) | Substitution mutation: | | |
| "8(C)(II) | substitution swaps one base for another | | |
| | may not alter the amino acid coded for as the genetic code is degenerate triplet codon codes for the same amino acid therefore, no effect on the protein therefore, no effect on the phenotype | | |
| | amino acid could be different therefore, shape of protein may or may not be (significantly) different depending on significance the phenotype may stay the same depending on the significance the phenotype may become the same as one of the parents | | |
| | a stop codon could be coded for so the protein may be {shorter / not coded for} so the phenotype may become the same as one of the parents | | |
| | Insertion / deletion mutation: • deletion removes one base • insertion adds in a base | | |
| | causing a frameshift | | |
| | this will probably have a huge effect on protein phenotype may become one of parents | | |
| | may have little effect on protein if near the end of the gene sequence and therefore, have very little effect on phenotype | (6) | |

| | | | Additional guidance |
|---------|-----|---|---|
| Level 0 | 0 | No awardable content | |
| Level 1 | 1-2 | Demonstrates isolated elements of biological knowledge and understanding to the given context with generalised comments made. Vague statements related to consequences are made with limited linkage to a range of scientific ideas, processes, techniques and procedures. The discussion will contain basic information with some attempt made to link knowledge and understanding to the given context. | Simple links made between mutation and effect on protein or phenotype 1 mark = one comment 2 marks = three comments |
| Level 2 | 3-4 | Demonstrates adequate knowledge and understanding by selecting and applying some relevant biological facts / concepts. Consequences are discussed which are occasionally supported through linkage to a range of scientific ideas, processes, techniques and procedures. The discussion shows some linkages and lines of scientific reasoning with some structure. | Extended links made between mutation and effect on protein or effect on phenotype in the context of the question 3 marks = extended comments about one effect of one type of mutation 4 marks = extended comments about one effect of two types of mutations OR extended comments about two effects of one mutation |
| Level 3 | 5-6 | Demonstrates comprehensive knowledge and understanding by selecting and applying relevant biological facts / concepts. Consequences are discussed which supported throughout by sustained linkage to a range of scientific ideas, processes, techniques and procedures. The discussion shows a well-developed and sustained line of scientific reasoning which is clear and logically structured. | Clear discussions on all aspects of mutations and effect on protein and effect on phenotype in the context of the question 5 marks = extended comments about one effect of one type of mutation 6 marks = extended comments about one effect of two types of mutations OR extended comments about two effects of one mutation |