



Mark Scheme (Results)

January 2022

Pearson Edexcel International Advanced Level In Biology

(WBI16) Paper 01

Practical Skills in Biology II

Question Number	Answer	Additional Guidance	Mark
1a	<p>A description that includes six of the following points:</p> <ul style="list-style-type: none"> • dependent variable is mass needed to break fibres (1) • use fibres the same length and {diameter/cross sectional area} (1) • method of supporting fibre (1) • add known mass to fibre until it breaks (1) • suitable method of control of one variable {age of fibre / temperature/ humidity} (1) • method of calculation for tensile strength (1) • repeats and calculate a mean (1) 	<p>Accept thickness</p> <p>Accept between 2 (clamp stands) / with fibre hung from one (stand)</p> <p>Accept use of forcemeter – record force when it breaks</p> <p>Accept age of plant Accept AC room for temperature (not waterbath) AC room / humidifier / dehumidifier for humidity</p> <p>eg force divided by (cross sectional) area / mass converted to force then divided by (cs) area</p> <p>Accept repeats to calculate SD</p>	<p>Exp 6</p>

Question Number	Answer	Additional Guidance	Mark
1b	<p>A description that includes three of the following points:</p> <ul style="list-style-type: none"> cellulose {is a polymer of / contains many /contains a large number of} B glucose (molecules) (1) joined by 1-4 glycosidic bonds (1) every other (glucose) molecule is inverted (1) to give a straight (chain / molecule) (1) 	<p>Accept polysaccharide containing beta glucose molecules</p> <p>Accept reversed</p> <p>Accept linear / unbranched</p>	<p>Exp 3</p>

Question Number	Answer	Additional Guidance	Mark
1c	<p>An answer that includes the following:</p> <ul style="list-style-type: none"> • biofuels only release the carbon dioxide that was absorbed by {photosynthesis / plants} (1) 	<p>Accept they are (almost) carbon neutral</p> <p>Accept biofuels release carbon dioxide which plants would have released when they decompose / biofuels don't produce extra carbon dioxide</p>	<p>Exp 1</p>

(Total for question 1 = 10 marks)

Question Number	Answer	Additional Guidance	Mark
2a	<p>An answer that includes the following:</p> <ul style="list-style-type: none"> • snails have a simple nervous system, so they are thought not to feel (much) pain (1) 	<p>Accept snails are invertebrates so they do not feel (much) pain / snails are not sentient beings / do not need a licence to use snails</p>	<p>Exp 1</p>

Question Number	Answer	Additional Guidance	Mark
2b	<p>An answer that includes the following:</p> <ul style="list-style-type: none"> • correct use of r^3 (1) • correct multiplication by 2 (1) • correct answer to two significant figures (1) 	<p>Example calculation</p> $1.5^3 / 3.375 / \frac{3^3}{2}$ <p>28 (mm³)</p> <p>Allow ecf if errors in first parts of calculation; 14 gets mp1 and 3; 230 gets mp2 and 3</p> <p>Correct answer with no working gains full marks</p>	<p>Exp 3</p>

Question Number	Answer	Additional Guidance	Mark
2d	<p>An answer that includes two of the following</p> <ul style="list-style-type: none"> • presence of water, not volume, is important (1) • rate of water supply does not determine time to break down the membrane (1) • (rate of membrane breakdown is) limited by another factor (1) 	<p>Accept once the membrane is wet, adding more water makes no difference</p> <p>Accept time the water has been there is important, not the rate of supply</p> <p>Accept there is the same rate of diffusion of water through the membrane regardless of water supply.</p> <p>Accept changes to membrane structure takes time</p> <p>Accept enzymes may be involved in the breaking of the membrane.</p> <p>Accept something other than water is rate limiting</p> <p>Accept membrane thickness may vary, so takes longer to break down (if thicker).</p>	<p>Exp 2</p>

Question Number	Answer	Additional Guidance	Mark
3a	<p>Answer that includes the following:</p> <ul style="list-style-type: none"> there is no (significant) difference between the (mean) number of mayfly nymphs in stream A and stream B 	Accept in polluted and unpolluted streams	<p>Exp 1</p>

Question Number	Answer	Additional Guidance	Mark																																						
3b	<p>An answer that includes the following:</p> <ul style="list-style-type: none">suitable table format with data (1)correct column headings (1)means correctly calculated ie 36.0 and 31.6 or 36 and 32 (1)	<p>Example table</p> <table><tr><td rowspan="16"></td><td colspan="2">Number of mayfly nymphs</td></tr><tr><td>stream A</td><td>stream B</td></tr><tr><td>27</td><td>25</td></tr><tr><td>37</td><td>16</td></tr><tr><td>24</td><td>34</td></tr><tr><td>45</td><td>12</td></tr><tr><td>34</td><td>35</td></tr><tr><td>38</td><td>26</td></tr><tr><td>49</td><td>43</td></tr><tr><td>61</td><td>51</td></tr><tr><td>40</td><td>26</td></tr><tr><td>20</td><td>24</td></tr><tr><td>28</td><td>36</td></tr><tr><td>38</td><td>26</td></tr><tr><td>42</td><td>49</td></tr><tr><td>25</td><td>52</td></tr><tr><td>32</td><td>19</td></tr><tr><td>mean</td><td>36.0 / 36</td><td>31.6 / 32</td></tr></table>		Number of mayfly nymphs		stream A	stream B	27	25	37	16	24	34	45	12	34	35	38	26	49	43	61	51	40	26	20	24	28	36	38	26	42	49	25	52	32	19	mean	36.0 / 36	31.6 / 32	<p>Exp 3</p>
	Number of mayfly nymphs																																								
	stream A	stream B																																							
	27	25																																							
	37	16																																							
	24	34																																							
	45	12																																							
	34	35																																							
	38	26																																							
	49	43																																							
	61	51																																							
	40	26																																							
	20	24																																							
	28	36																																							
	38	26																																							
	42	49																																							
	25	52																																							
32	19																																								
mean	36.0 / 36	31.6 / 32																																							

Question Number	Answer	Additional Guidance	Mark
3c	<p>An answer that includes the following:</p> <ul style="list-style-type: none"> bar graph with linear scale and axes labelled with units (1) means plotted correctly (1) range bars plotted correctly (1) 	<p>Must start at zero ie not broken axis</p> <p>Mean number of mayfly nymphs and (stream) A and B</p> <p>Accept ECF from 3b</p>	<p>Exp 3</p>

Question Number	Answer	Additional Guidance	Mark
3di	<p>An answer that includes the following:</p> <ul style="list-style-type: none"> correct calculation of numerator (1) correct substitution of given $(S_A)^2$ and $(S_B)^2$ (1) correct value of t (1) 	<p>Example calculation:</p> <p>$4.4 / 36.0 - 31.6$ or $4.0 / 36 - 32$</p> <p>Ecf if wrong means used</p> <p>$\frac{116}{15} + \frac{160}{15}$</p> <p>$t = 1.026 / 1.03$ or $0.933 / 0.93$</p> <p>Correct answer with no working gains full marks</p>	<p>Exp 3</p>

Question Number	Answer	Additional Guidance	Mark
3d ii	<p>An answer that includes the following:</p> <ul style="list-style-type: none"> • correct critical value stated / indicated in table (1) • calculated value is less than the critical value, therefore accept the null hypothesis (1) • there is no (significant) difference between the number of mayfly nymphs in streams A and B (1) 	2.05	<p>Exp 3</p>

Question Number	Answer	Additional Guidance	Mark
3e	<p>An explanation that includes two of the following:</p> <ul style="list-style-type: none"> comment on the variability of data (1) {samples should have been taken on more than one day / at more than one time of day / should have surveyed more than 2 streams} (1) other named variables not monitored / measured (1) 	<p>Accept range bars overlap</p> <p>Accept number of species of mayfly nymphs should have been recorded</p> <p>Accept depth / flow rate / temperature / pH / light intensity / other pollutants</p>	<p>Exp 2</p>

(Total for question 3 = 15 marks)

Question Number	Answer	Additional Guidance	Mark
4a	<p>A description that includes two of the following:</p> <ul style="list-style-type: none"> find a suitable {mass / concentration / number of cells} of yeast (that will produce carbon dioxide) (1) find a suitable {method for measuring carbon dioxide / method to measure oxygen consumption / redox indicator} (1) find a suitable range of temperatures (1) 	<p>Accept suitable {concentration / mass} of sugar Accept suitable concentration / mass of mineral ions</p> <p>eg TTC / DCPIP / methylene blue</p> <p>Accept find a suitable timescale to measure the {volume of gas produced / oxygen consumption}</p>	<p>Exp 2</p>

Question Number	Answer	Additional Guidance	Mark
4b	<p>An answer that includes eight of the following:</p> <ul style="list-style-type: none"> • clear statement of the dependent variable (1) • some description of apparatus used (1) • control of mass of yeast (1) • incubate for a set period of time and record {volume of carbon dioxide produced / movement of ink drop} (1) • five stated temperatures in a range of 5-55 °C (1) • two variables that need to be controlled (1) • description of how one of these variables is controlled (1) • repeats for each temperature or repeat the whole experiment (1) • method of calculating rate of respiration (1) 	<p>e.g. volume of carbon dioxide produced per unit time / volume of oxygen used per unit time / time for (named) redox indicator to change colour</p> <p>eg method of collecting (carbon dioxide) gas / respirometer with soda lime / tubes in a waterbath before mixing</p> <p>Accept {volume / concentration} of yeast (suspension) / number of yeast cells</p> <p>record time for {colour change of redox indicator / standard volume of (carbon dioxide) gas to be collected / ink drop to move standard distance}</p> <p>pH – buffer;</p> <p>{concentration / volume} of redox indicator;</p> <p>{mass / concentration} of glucose eg 10g sugar/ use of balance;</p> <p>{type / strain / species / age} of yeast;</p> <p>1 divided by time taken for colour change / distance divided by time / volume divided by time</p>	<p>Exp 8</p>

Question Number	Answer	Additional Guidance	Mark
4c	<p>An answer that includes the following:</p> <ul style="list-style-type: none"> • table for raw data with headings and units, and means calculated from repeats (1) • line graph format with labelled axes (1) • use of an appropriate correlation statistical test (1) 		<p>Exp 3</p>

Question Number	Answer	Additional Guidance	Mark
4d	<p>An answer that includes two of the following:</p> <ul style="list-style-type: none"> • difficult to measure (small) values of the dependent variable (1) • difficult to prevent contamination of yeast cultures / hard to maintain aseptic conditions (1) • difficulties related to experimental design (1) 	<p>Accept difficult to recognise end point</p> <p>Accept uneven distribution of yeast cells at start of investigation / unequal numbers in each tube</p> <p>Accept yeast may change from aerobic to anaerobic respiration during investigation;</p> <p>build-up of waste products may {affect enzymes / slow rate of respiration};</p> <p>at higher temperatures, gases (CO₂ and oxygen) expand, so this would affect the volume recorded (esp in respirometer);</p> <p>carbon dioxide is water soluble, so the volume of gas recorded may not be accurate</p>	<p>Exp 2</p>

(Total for question 4 = 15 marks)